

Product Data Sheet: VM5905**Issue Date: 251121****Bellator by Verus**

Your vehicle deserves champion-level protection. Bellator – meaning ‘warrior’ – fights friction, heat, and deposits for smooth, efficient performance. Powered by Italian engineering and proven worldwide, Bellator lubricants keep your engine and driveline ready for battle.

Created by Italian lubricant experts, Verus blends decades of lubrication science with performance trusted by equipment manufacturers worldwide. We control every step – from formulation to delivery – ensuring speed, precision, and reliability.

As your lubrication partner, we provide technical insight, rapid solutions, and flexible options, from tailored blends to custom packaging.

Product Description

Premium 5W40 synthetic formulated for demanding A3/B4 applications. Provides outstanding wear control, high-temperature cleanliness and reliable cold-start lubrication. Suited to turbocharged petrol and diesel engines in cars, SUVs and vans, including BMW LL-01, Porsche A40, VW 502/505, Renault RN0700/0710 and major European OEM performance requirements.

Features & Benefits

- Ultra-high performance base oils
- Outstanding wear protection
- Arctic cold start capability
- Cleans sludge and high-temp deposits
- Meets leading OEM performance standards

Applications

Ideal for turbocharged/supercharged petrol & diesel engines in passenger cars, SUVs, vans and trucks.

Specifications

- API SP/SN+/SN
- ACEA A3/B4
- MB 226.5 / 229.3 / 229.5
- BMW LL-01
- Porsche A40
- Renault RN0700 / RN0710
- VW 502 00 / 505 00
- PSA B71 2296
- FIAT 9.5535-H2
- Chrysler MS-10725 / 10850 / 12991



Top Synthetic

Verus Bellator X 5W40 A3/B4



Technical Data

Characteristics	Test Method	Result
Physical Appearance	Visual	Bright and Clear
Density @ 15°C	ASTM D4052	0.859
Viscosity @ 40°C	ASTM D445	83.15
Viscosity @ 100°C	ASTM D445	13.5
Viscosity Index	ASTM D2270	166
Total Base Number	ASTM D2896	10+
Pour Point	ASTM D97	-39
Flash Point	ASTM D92	225

Chematek S.p.A. operates under the European Engine Lubricant Quality Management System (EELQMS) and adheres to the ATIEL Code of Practice for developing and marketing lubricants making ACEA performance claims.

Disclaimer: The Verus logo is a trademark of Chematek SpA. Data is provided as a guide only; no warranties are given regarding accuracy or suitability. Users must ensure product suitability for their intended application, refer to the latest version of this document and the Safety Data Sheet, and always follow the equipment manufacturer's guidelines and manuals. Chematek SpA accepts no liability for misuse or failure to follow recommendations.

